

日本大学生物資源科学部生命科学研究所
平成24～25年度発表論文一覧

1. 磯部勝孝, 氏家和広, 人見晋輔, 古屋雄一, 石井龍一. 我が国におけるキノアの栽培に関する作物学的研究 ―開花期以降の昼・夜温がキノアの子実肥大に及ぼす影響―. 日本作物学会紀事. 81(2): 167-172, 2012.
2. Mori T., Kitani Y., Ogihara J., Sugiyama M., Yamamoto G., Kishida O. and Nishimura K. Histological and MS spectrometric analyses of the modified tissue of bulgy form tadpoles induced by salamander predation. *Biology Open*, 1(4): 308-317, 2012.
3. 大井誠明, 松本淳, 野上貞雄. 保護された東日本大震災被災犬における犬糸状虫の感染状況. 家畜衛生学雑誌. 第 38 巻 第 3 号: 126-127, 2012.
4. Suzuki Y., Nakamura M., Otsuka Y., Suzuki N., Ohyama K., Kawakami T., Sato K., Kajita S., Hishiyama S., Takahashi A., Katayama Y. Development of a highly sensitive assay for enzyme-mediated reductive degradation of polychlorinated dibenzo-p-dioxin. *Environmental Toxicology and Chemistry*, 31(5): 1072-1075, 2012.
5. 長谷川雄紀, 敷中一洋, 重原淳孝, 梶田真也, 政井英司, 片山義博, 中尾愛子, 大塚祐一郎, 中村雅哉, 大原誠資. リグニン由来エポキシ樹脂の硬化挙動. 繊維学会誌. 68(4): 73-78, 2012.
6. Fujii T., Sato K., Matsui N., Furuichi T., Takenouchi S., Nishikubo N., Suzuki Y., Kawai S., Demura T., Kajita S., Katayama Y. Enhancement of secondary xylem cell proliferation by *Arabidopsis cyclin D* overexpression in tobacco plants. *Plant Cell Rep*, 31: 1573-1580, 2012.
7. Sato-Izawa K., Nakaba S., Tamura K., Yamagishi Y., Nakano Y., Nishikubo N., Kawai S., Kajita S., Ashikari M., Funada R., Katayama Y., Kitano H. *DWARF50 (D50)*, a rice (*Oryza sativa* L.) gene encoding inositol polyphosphate 5-phosphatase, is required for proper development of intercalary meristem. *Plant, Cell and Environment*, 35(11): 2031-2044, 2012.
8. 古川壮一, 森永康. 複合微生物系バイオフィルムによる物質生産. 化学工学会誌. 第 76 巻 第 11 号: 695-698, 2012.
9. 古川壮一, 阿部侑, 深瀬栄, 平山悟, 荻原博和, 森永康. 多菌種複合バイオフィルムを利用した物質生産. 日本醸造協会誌. 第 107 巻 第 5 号: 292-299, 2012.
10. 古川壮一, 片倉啓雄. 乳酸菌と酵母の共存と共生. 日本生物工学会誌. 第 90 巻 第 4 号: 188-191, 2012.
11. 古川壮一, 森永康. 微生物における細胞接着とその利用. 日本生物工学会誌. 第 90 巻 第 4 号: 197, 2012.

12. Furukawa S., Nojima N., Nozaka S., Hirayama S., Satoh A., Ogihara H. and Morinaga Y. Mutants of *Lactobacillus plantarum* ML11-11 deficient in co-aggregation with yeast exhibited reduced activities of mixed-species biofilm formation. *Bioscience, Biotechnology and Biochemistry*, 76(2): 326-330, 2012.
13. Hirayama S., Furukawa S., Ogihara H. and Morinaga Y. Yeast mannan structure necessary for co-aggregation with *Lactobacillus plantarum* ML11-11. *Biochemical and Biophysical Research Communications*, 419(4): 652-655, 2012.
14. Shimazaki J., Furukawa S., Ogihara H., Morinaga Y. L-Tryptophan prevents *Escherichia coli* biofilm formation and triggers biofilm degradation. *Biochemical and Biophysical Research Communications*, 419(4): 715-718, 2012.
15. Asker D., Awad TS., Beppu T. and Ueda K. Isolation, Characterization, and Diversity of Novel Radiotolerant Carotenoid-Producing Bacteria. *Methods in Molecular Biology*, 892: 21-60, 2012.
16. Asker D., Awad TS., Beppu T. and Ueda K. A Novel Radio-Tolerant Astaxanthin-Producing Bacterium Reveals a New Astaxanthin Derivative: Astaxanthin Dirhamnoside. *Methods in Molecular Biology*, 892: 61-97, 2012.
17. Asker D., Awad TS., Beppu T. and Ueda K. Novel Zeaxanthin-Producing Bacteria Isolated from a Radioactive Hot Spring Water. *Methods in Molecular Biology*, 892: 99-131, 2012.
18. Ueda K., Nishida H. and Beppu T. Dispensabilities of Carbonic Anhydrase in Proteobacteria. *International Journal of Evolutionary Biology*, 2012: Article ID 324549, 5 pages, 2012.
19. Fujimoto M., Yamada A., Kurosawa J., Kawata A., Beppu T., Takano H. and Ueda K. Pleiotropic role of the Sco1/SenC family copper chaperone in the physiology of *Streptomyces*. *Microbial Biotechnology*, 5(4): 477-488, 2012.
20. Hashiguchi M., Abe J., Aoki T., Anai T., Suzuki A. and Akashi R. The National BioResource Project (NBRP) *Lotus* and *Glycine* in Japan. *Breeding Science*, 61(5): 453-461, 2012.
21. Toda K., Kuroiwa H., Senthil K., Shimada N., Aoki T., Ayabe S., Shimada S., Sakuta M., Miyazaki Y., Takahashi R. The soybean F3⁺ H protein is localized to the tonoplast in the seed coat hilum. *Planta*, 236: 79-89, 2012.
22. Higo M., Isobe K., Yamguchi M., Drijber RA., Jeske ES., Ishii R. Diversity and vertical distribution of indigenous arbuscular mycorrhizal fungi under two soybean rotational systems. *Biology and Fertility of Soils*, 49(8): 1085-1096, 2013.

23. Yoshida J., Kobayashi Y., Tanaka Y., Koyama Y., Ogihara J., Kato J., Shima J. and Kasumi T. Complementary function of mitogen-activated protein kinase Hog1 from *Trichosporonoides megachiliensis* in *Saccharomyces cerevisiae* under hyper-osmotic stress. *Journal of Bioscience and Bioengineering*, 115(2): 127-132, 2013.
24. Ban H., Nagano M., Gavrilyuk J., Hakamata W., Inokuma T. Barbas CF 3rd. Facile and stabile linkages through tyrosine: bioconjugation strategies with the tyrosine-click reaction. *Bioconjugate Chem.*, 24: 520-532, 2013.
25. Hakamata W. Detection of *N*-linked oligosaccharide processing enzyme activity at cellular level. *Bull. Appl. Glycosci*, 3: 195-196, 2013.
26. Nishio T., Juami M., Wada T., Sugimoto Y., Senou H., Komori W., Sakuma C., Hirano T., Hakamata W., Tashiro M. Enzymatic synthesis of novel oligosaccharides from *N*-acetylsucrosamine using β -fructofuranosidase from *Aspergillus oryzae*. *Carbohydrate Research*, 382: 108-112, 2013.
27. 佐藤仁, 和田徹, 岩井すみれ, 重網麻依, 中村成寿, 横地佐江子, 笠間輝美, 平野貴子, 袴田航, 西尾俊幸, スクロース類似構造を有する *N*-アセチルグルコサミン含有オリゴ糖である *N*-アセチルスクロサミンの生産. *精糖技術研究会誌*. 59 巻: 43-53, 2013.
28. Hirano T., Maebara Y., Uehara R., Sakaki Y., Shiraishi H., Ichimura S., Hakamata W. and Nishio T. Chitin oligosaccharide deacetylase from *Vibrio harveyi* ATCC BAA-1116: gene cloning, overexpression, purification, and characterization, *Chitin and Chitosan Research*, 19: 321-324, 2013.
29. Fukuhara Y., Kamimura N., Nakajima M., Hishiyama S., Hara H., Kasai D., Tsuji Y., Narita-Yamada S., Nakamura S., Katano Y., Fujita N., Katayama Y., Fukuda M., Kajita S., Masai E. Discovery of pinorensinol reductase genes in sphingomonads. *Enzyme and Microbial Technology*, 52: 38-43, 2013.
30. Nakano Y., Nishikubo N., Sato-Izawa K., Mase K., Kitano H., Kajita S., Demura T., Katayama Y. Transcription profiling identifies candidate genes for secondary cell wall formation and hydroxycinnamoyl-arabinoxylan biosynthesis in the rice internode. *Plant Biotechnology*, 30(5): 433-446, 2013.
31. 中村雅哉, 大塚祐一郎, 政井英司, 敷中一洋, 重原淳孝, 片山義博. “微生物機能を利用したリグニンからの有用物質変換技術と利用技術開発” リグニン利用の最新動向, 第 6 章 第 4 節: 234-244, 監修 坂志朗, CMC 出版, 2013 年 7 月.
32. 糸長浩司, 浦上健司. 原発大災害に抗したく共>的 2 地域多重居住への支援—福島県飯館村への支援活動を通して. *季刊まちづくり*. 39 号: 86-90, 2013.

33. Abe A., Furukawa S., Watanabe S. and Morinaga Y. Yeasts and lactic acid bacteria mixed-specie biofilm formation is a promising cell immobilization technology for ethanol fermentation. *Applied Biochemistry and Biotechnology*, 171(1): 72-79, 2013.
34. 森永康, 古川壮一. 酵母-乳酸菌複合バイオフィルムの特性と利用. 月刊 BIO INDUSTRY. 30(7): 49-57, 2013.
35. Furukawa S., Watanabe T., Toyama H. and Morinaga Y. Significance of microbial symbiotic coexistence in traditional fermentation. *Journal of Bioscience and Bioengineering*, 116(5): 533-539, 2013.
36. Ogihara H., Endou F., Furukawa S., Matsufuji H., Suzuki K., Anzai H. Antimicrobial activity of the carnivorous plant *Dionaea muscipula* against food-related pathogenic and putrefactive bacteria. *Biocontrol Science*, 18(3): 151-155, 2013.
37. Yamada S., Miyagawa T., Yamada R., Shiratori-Takano H., Sayo N., Saito T., Takano H., Beppu T., Ueda K. Amide-transforming activity of *Streptomyces*: possible application to the formation of hydroxy amides and aminoalcohols. *Appl. Microbiol. Biotechnol*, 97: 6223-6230, 2013.
38. Eto D., Watanabe K., Saeki H., Oinuma K., Otani K., Nobukuni M., Shiratori-Takano H., Takano H., Beppu T. and Ueda K. Divergent effects of desferrioxamine on bacterial growth and characteristics. *The Journal of Antibiotics*, 66: 199-203, 2013.
39. Okazaki Y., Otsuki H., Narisawa T., Kobayashi M., Sawai S., Kamide Y., Kusano M., Aoki T., Hirai MY., Saito K. A new class of plant lipid is essential for protection against phosphorus depletion. *Nature Communications*, 4: 1510, 2013.
40. Wang C., Zhao XQ., Aizawa T., Sunairi M., Shen RF. High aluminum tolerance of *Rhodotorula* sp. RS1 is associated with thickening of the cell wall rather than chelation of aluminum ions. *Pedosphere*, 23(1): 29-38, 2013.
41. Zhao XQ., Guo SW., Shinmachi F., Sunairi M., Noguchi A., Hasegawa I., Shen RF. Aluminium tolerance in rice is antagonistic with nitrate preference and synergistic with ammonium preference. *Annals of Botany*, 111(1): 69-77, 2013.
42. Zhao XQ., Aizawa T., Schneider J., Wang C., Shen RF., Sunairi M. Complete mitochondrial genome of the aluminum-tolerant fungus *Rhodotorula taiwanensis* RS1 and comparative analysis of *Basidiomycota* mitochondrial genomes. *MicrobiologyOpen*, 2(2): 308-317, 2013.

43. Ogura T., Hernandez A., Aizawa T., Ogihara J., Sunairi M., Alcaïno J., Salvo-Garrido H., Maureira-Butler IJ. Identification of a low digestibility δ -Conglutin in yellow lupin (*Lupinus luteus* L.) seed meal for atlantic salmon (*Salmo salar* L.) by coupling 2D-PAGE and mass spectrometry. PLOS One, 8(11): e80369, 2013.
44. Nakano K., Cui H., Nakamura K., Yano T., Aikawa Y., Nishimura O. Effect of the Vegetation and Subsurface Water Level on Nitrogen Removal in a Five-stage Vertical Flow Constructed Wetland. 土木学会論文集 G(環境), 69(7): 105-111, 2013.
45. Kihara Y., Ichikawa T., Abe S., Nemoto N., Ishihara T., Hirano N., and Haruki M. Synthesis of Alkyne-Functionalized Amphiphilic Polysiloxane Polymers and Formation of Nanoemulsions Conjugated with Bioactive Molecules by Click Reactions. Polymer J., 46: 175-183, 2013.
46. Hirano N., Hasegawa H., Nihei S., and Haruki M. Cell-Free Protein Synthesis and Substrate Specificity of Full-Length Endoglucanase CelJ (Cel9D-Cel44A), the Largest Multi-Enzyme Subunit of the *Clostridium thermocellum* Cellulosome. FEMS Microbiol. Lett., 344: 25-30, 2013.
47. Muroi T., Kokuzawa T., Kihara Y., Kobayashi R., Hirano N., Takahashi H., and Haruki, M. TG1 Integrase-Based System for Site-Specific Gene Integration into Bacterial Genomes. Appl. Microbiol. Biotechnol., 97: 4039-4048, 2013.
48. 平野展孝, 春木満. ゲノム工学ツールとしてのセリントタイプ・インテグラーゼ. 生化学. 第 85 巻 第 5 号: 345-349, 2013.
49. 磯部勝孝, 荻島恵梨, 佐藤竜司, 杉山光, 肥後昌男, 鳥越洋一. キノアの発芽と初期生育における耐塩性の品種間差と作物間差. 日本作物学会紀事, 第 83 巻: 9-14, 2014.
50. Hakamata W., Tamura S., Hirano T. and Nishio T. Multicolor Imaging of Endoplasmic Reticulum-Located Esterase As a Prodrug Activation Enzyme. ACS Medicinal Chemistry Letters, 5: 321-325, 2014.
51. Itonaga K. Resilience Design and Community Support in Iitate Village in the Aftermath of the Fukushima Daiichi Nuclear Disaster. Planning Theory & Practice, 15(2): 255-260, 2014.
52. 糸長浩司. 大天災・大人災から 3 年, 農村計画はどうあるべきか. 農村計画学会誌. 32 巻 4 号: 435-439, 2014.
53. Griffith D.R., Kido Soule M.C., Matsufuji H., Eglinton T.I., Kujawinski E.B., Gschwend P.M. Measuring Free, Conjugated, and Halogenated Estrogens in Secondary Treated Wastewater Effluent, Environmental Science and Technology, 48(5): 2569-2578, 2014.

54. Yamada S., Shimada H., Yamada R., Shiratori-Takano H., Sayo N., Saito T., Takano H., Beppu T., Ueda K. Preparation of optically-active 3-pyrrolidinol and its derivatives from 1-benzoylpyrrolidinol by hydroxylation with *Aspergillus* sp. and stereoselective esterification by a commercial lipase. *Biotechnol Lett*, 36: 595-600, 2014.